according to Regulation (EC) No. 1907/2006 (REACH)

ADDING VALUE TO CANDLES Print date 03/23/2020 Page 1 of 8

Item number/ Trade name 454 Version/Issue date: 12 /

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

09/23/2016

# **1.1 Product identifier**

Item number/Trade nameColour for candles454

**1.2 Relevant identified uses of the substance or mixture and uses advised against** General use Coloration of hydrocarbons, waxes, oils and fats

# 1.3 Details of the supplier of the safety data sheet

Company/undertaking identification	
Name	Bekro Chemie GmbH
Street/POB-No.: 1	Industriestrasse 104
City	D-66802 Ueberherrn
Phone #	+49 6836 9198 0
Telefax #	+49 6836 9198 10
E-mail	info@bekro.de

### **1.4 Emergency telephone number**

Name	Bekro Chemie GmbH (Mo - Thu 8.00 - 16.30, Fr 8.00 - 14.30)
Phone #	+49 6836 9198 0

# **SECTION 2: Hazards identification**

# 2.1 Classification of the substance or mixture

Classification according to EC regulation 1272/2008 (CLP) Eye Irrit. 2; H319 Causes serious eye irritation.

### 2.2 Label elements



Warning

Nature of Hazard	GHS07 Exclamation mark	
	GHS07 EXclamation mark	
Hazard statements (CLP)	H319 Causes serious eye irritation.	
Precautionary statements (CLP)	P264 Wash affected areas thoroughly after handling.	
	P280 Wear protective gloves/protective clothing/eye protection/face protection.	
	P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove	
	contact lenses, if present and easy to do. Continue rinsing.	
	P337+P313 If eye irritation persists: Get medical advice/attention.	
Hazard-determining component(s) of labelling		
	Basic red 1:1 - Kationischer Farbstoff - Basic Violet 11:1 - Kationischer Farbstoff	

# Special provisions concerning the labelling of certain mixtures

### 2.3 Other hazards

---

# **SECTION 3: Composition / information on ingredients**

#### 3.1 Substances

Mixture of waxes, colouring agents and additives

### 3.2 Mixtures

according to Regulation (EC) No. 1907/2006 (REACH)

ADDING VALUE TO CANDLES Print date 03/23/2020 Page 2 of 8

Item number/ Trade name Version/Issue date: 454

12 / 09/23/2016

# **Hazardous ingredients**

Basic Violet 11:1 - Kationischer Farbstoff: 0,1 % - 0,99 % CAS-Number: 73398-89-7 EINECS / ELINCS / NLP: 277-459-0

Classification according to EC regulation 1272/2008 (CLP): Acute Tox. 4; H332 / Aquatic Chronic 3; H412 / Eye Dam. 1; H318 Basic red 1:1 - Kationischer Farbstoff: 0,1 % - 0,99 % CAS-Number: 3068-39-1 EINECS / ELINCS / NLP: 221-326-1

Classification according to EC regulation 1272/2008 (CLP): Acute Tox. 4; H302 / Aquatic Chronic 2; H411 / Eye Dam. 1; H318

Full text of R-, H- and EUH-phrases: see section 16.

# **SECTION 4: First aid measures**

### 4.1 Description of first aid measures

General information	If you feel unwell, seek medical advice.
In case of inhalation	Move victim to fresh air. Seek medical aid in case of troubles.
In case of skin contact	Thoroughly wash skin with soap and water.
After eye contact	Immediately flush eyes with plenty of flowing water for 10 to 15 minutes holding
	eyelids apart. Seek medical attention if irritation persists.
After swallowing	Do NOT induce vomiting. Rinse mouth immediately and drink plenty of water. Seek medical treatment in case of troubles.

# 4.2 Most important symptoms and effects, both acute and delayed

Symptoms

#### 4.3 Indication of any immediate medical attention and special treatment needed

Information to physician

according to Regulation (EC) No. 1907/2006 (REACH)



# Item number/ Trade name 454 Version/ Issue date: 12 / 09/23/2016 Page 3 of **SECTION 5: Firefighting measures** 5.1 Extinguishing media Suitable extinguishing media Carbon dioxide, water spray jet, extinguishing powder, foam. Extinguishing media which must Full water jet not be used for safety reasons 5.2 Special hazards arising from the substance or mixture Possible combustion products Nitrogen oxides (NOx), carbon monoxide and carbon dioxide **5.3 Advice for firefighters** Special protective equipment Wear self-contained breathing apparatus. for firefighters Additional information Do not allow water used to extinguish fire to enter drains, ground or waterways. Do not allow fire water to penetrate into surface or ground water. You have to dispose of contaminated extinguishing water according to the regulations of the authorities. **SECTION 6: Accidental release measures** 6.1 Personal precautions, protective equipment and emergency procedures Avoid dust formation. Do not breathe dust. With the formation of dust, use a dust mask. Keep away from sources of ignition - No smoking. Avoid contact with skin, eyes, and clothing. **6.2 environmental precautions**

Do not allow to enter into ground-water, surface water or drains. Discharge into the environment must be avoided.

# 6.3 Methods and material for containment and cleaning up

Take up spilled product with dustpan and brush. Avoid causing any dust. Industrial vacuum cleaner recommended to avoid causing dust. C soiled areas with a conventional household cleaner.

# 6.4 Reference to other sections

Personal protection equipment: see section 8, Disposal: see section 13

# **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling Advices on safe handling

Avoid contact with eyes and skin. When using do not eat, drink, smoke, sniff. Make sure there is sufficient air exchange and / or that working rooms are air suctioned. Avoid dust formation.

# 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storerooms and containers	Keep away from sources of ignition and heat. Store in a cool dry place. Store in a well-ventilated place. Keep container tightly closed. Protect from direct sunlight.
Storage class	11
<b>7.3 Specific end use(s)</b> General use	Coloration of hydrocarbons, waxes, oils and fats

# **SECTION 8: Exposure controls/personal protection**

### 8.1 Control parameters

according to Regulation (EC) No. 1907/2006 (REACH)



4			
Item number/ Trade name 4 Version/ Issue date:	54 12 / 09/23/2016	Print date Page	03/23/2020 4 of 8
Paraffin waxes and Hydrocarbon waxes USA OSHA TWA (EC)	2,000	mg/m³	
8.2 Exposure controls Respiratory protection	With correct and proper use, and under normal condition is not required. Provide good ventilation and/or an exhau		
Hand protection	area. Wear a dust mask, in case of excessive dust. Wear suitable gloves according to DIN-/EN-Norms EN 4 1,3	120, EN 388 and EN	l 374 Part
Eye protection Body protection	Goggles according to EN 166. Wear suitable protective clothing and shoes.		
General protection and hygiene measures	Keep away from food and drinks. When using do not eat hands before breaks and after work. Wash contaminated		

# **SECTION 9: Physical and chemical properties**

# 9.1 information on basic physical and chemical properties

Form	solid	<u></u>		
Colour	red violet			
Odour	characteristic			
Important health, safety and environment	al information			
Initial boiling point and boiling range	> 130 °C			
Melting point/freezing point	> 60 °C			
Flash point/flash point range	> 150 °C			
Ignition temperature	> 200 °C			
Solubility	Product is diffi	cult to dissolve i	n water.	
Vapour pressure	not determined	t		
Density	not determined	b		
Viscosity				
Explosion limits				
Flow time 4mm (DIN)	not determined	d		
PH value				
Partition coefficient:				
n-octanol/water				

# 9.2 Other information

---

according to Regulation (EC) No. 1907/2006 (REACH)



Item number/ Trade name 454 Version/Issue date:	12 / 09/23/2016	Print date Page	03/23/202 5 of	-
SECTION 10: Stability and reactivity				
10.1 Reactivity	Non-reactive			
10.2 Chemical stability	Product is stable under normal storage conditions.			
10.3 Possibility of hazardous reactions				
10.4 Conditions to avoid	Avoid dust formation. Avoid dust deposits. Keep away No smoking. Take precautionary measures against sta		-	
10.5 Incompatible materials	strong acids and bases, strong oxidizing agents			
10.6 Hazardous decomposition products	Hazardous vapours may form during fires. In case of Nitrogen oxides (NOx), carbon monoxide and carbon	•	erated:	
SECTION 11: Toxicological information				

# **11.1 Information on toxicological effects**

# **General remarks**

No toxicological tests were conducted with the mixture.

---

# **SECTION 12: Ecological information**

# 12.1 Toxicity

Aquatic toxicity

according to Regulation (EC) No. 1907/2006 (REACH)

bekro
ADDING VALUE TO CANDLES
Print date <b>03/23/2020</b> Page <b>6 of 8</b>

Item number/Trade name454Version/Issue date:12 / 09/23/2016

# 12.2 Persistence and degradability

Evaluation text----Degree of elimination----Analytical method----

# 12.3 Bioaccumulative potential

--

### 12.4 Mobility in soil

-

# 12.5 Results of PBT and vPvB assessment

---

# 12.6 Other adverse effects

The ecotoxicological properties of this mixture are determined by the ecotoxicological properties of the single components (see section 3).

# **SECTION 13: Disposal considerations**

# 13.1 Waste treatment methods

### **Product**

 Recommendation
 Dispose of waste according to applicable legislation. Discharge into the environment must be avoided.

 Contaminated packaging
 Environment must be avoided.

Recommendation

Dispose of waste according to applicable legislation. Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

according to Regulation (EC) No. 1907/2006 (REACH)



Item number/ Trade name Version/Issue date:	454 12 / 09/23/2016	Print date Page	03/23/2020 7 of 8
SECTION 14: Transport information	ation		
14.1 UN number			
ADR, IATA, IMDG			
14.2 UN proper shipping name			
Product designation: ADR/RID Proper shipping name: IATA-DGR Proper shipping name: IMDG	 		
14.3 Transport hazard class(es)			
Class ADR/RID Code: ADR/RID			
Class IATA-DGR Subrisk IATA-DGR			
Class IMDG Subrisk IMDG			
<b>14.4 Packing group</b> ADR, IATA, IMDG	No packaging for dangerous goods required		
<b>14.5 Environmental hazards</b> Marine Pollutant - IMDG			
EmS Stowage and segregation			
14.6 Special precautions for user			
14.7 Transport in bulk according to	o Annex II of MARPOL 73/78 and the IBC Code		
Additional information EQ			
Limited quantities			
Special provisions			
Tunnel restriction			
Transport category			
Kemmler-number			

No dangerous good in sense of these transport regulations.

# **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

# National regulations

\_

<u>Germany</u>	
Storage class	11
Water Hazard Class	1
Information on working limitations	No special measures are required.

# **15.2 Chemical Safety Assessment**

Chemical Safety Assessment

No substance safety evaluation was conducted with the mixture/ substance.

according to Regulation (EC) No. 1907/2006 (REACH)

Item number/ Trade name Version/Issue date: 454

12 / 09/23/2016



# **SECTION 16: Other information**

# Hazard statements (CLP)

H318 Causes serious eye damage.

H332 Harmful if inhaled.

H412 Harmful to aquatic life with long lasting effects.

- H302 Harmful if swallowed.
- H411 Toxic to aquatic life with long lasting effects.

H319 Causes serious eye irritation.

---

General revision

# Abbreviations

Reason of change

	no data, not determined or not applicable
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals (Verordnung (EG) Nr. 1907/2006)
OECD	Organisation for Economic Co-operation and Development
LD50	Median lethal dose
LC50	Median lethal concentration
EC50	Median effective dose
IC50	Median inhibitory concentration
VCI	Verband der chemischen Industrie
CAS	Chemical Abstract Service
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
NLP	No Longer Polymers
CLP	Regulation (EC) No 1272/2008 on Classification, Labelling and Packaging
EG	Europäische Gemeinschaft
WGK	Wassergefährdungsklasse (according to AwSV, Appendix 1 (5.2))
AGW	Arbeitsplatzgrenzwert
ADR	Accord Européen relatif au transport international des marchandises dangereuses par route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
RID	Règlement concernant le transport international ferroviaire des machandises dangereuses (International Rule for Transport of Dangerous Substances by Railway)
IATA	International Air Transport Association
IMDG	International Martime Dangerous Goods
MARPOL	International Convention for the Prevention of Pollution From Ships (MARine POLlution)
EmS	Emergency Schedules

The information in this data sheet has been established to our best knowledge and was up-to-date at time of revision. It does not represent a guarantee for the properties of the product described in terms of the legal warranty regulations.