SAFETY DATA SHEET

Revision date: 14-Jul-2020

1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

Product identifier			
Product Name	LOTUS FLOWER AIR 00731AC (FAIA00731AC)		
Product Code(s)	00000026299		
Other means of identification			
UN number	3082		
Pure substance/mixture	Mixture		
Recommended use of the chemical and restrictions on use			
Recommended use	Fragrances		
Uses advised against	No information available.		
ABN:51 600 546 512 70 Marple Avenue Villawood NSW 2163 Australia	acobs division) - incorporated in Australia		
Telephone Number: +61 2 8717 2929			

Emergency telephone number

Facsimile: +61 2 9755 9611

Emergency telephone number

umber 1 800 033 111 (ALL HOURS)

Please ensure you refer to the limitations of this Safety Data Sheet as set out in the "Other Information" section at the end of this Data Sheet.

2. HAZARDS IDENTIFICATION

GHS Classification

Classified as dangerous goods in accordance with the Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG).

Environmentally Hazardous Substances meeting the descriptions of UN 3077 or UN 3082 are not subject to the provisions of the Australian Code for the Transport of Dangerous Goods by Road and Rail when transported by road or rail in: packagings that do not incorporate a receptacle exceeding 500 kg(L); or IBCs.

Classified as a hazardous chemical in accordance with the criteria of Safe Work Australia - Globally Harmonized System (GHS).



```
Revision Number 1
```

00000026299 - LOTUS FLOWER AIR 00731AC (FAIA00731AC)

Revision Number 1

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2A
Skin sensitization	Category 1
Reproductive toxicity	Category 2
Acute aquatic toxicity	Category 1
Chronic aquatic toxicity	Category 1

SIGNAL WORD

Warning

Label elements

Environment Health hazard Exclamation mark



Hazard statements

H227 - Combustible liquid

H315 - Causes skin irritation

H317 - May cause an allergic skin reaction

H319 - Causes serious eye irritation

H361 - Suspected of damaging fertility or the unborn child

The following health/environmental hazard categories fall outside the scope of the Workplace Health and Safety Regulations: H303 - May be harmful if swallowed

H410 - Very toxic to aquatic life with long lasting effects

Precautionary Statements - Prevention

Obtain special instructions before use Do not handle until all safety precautions have been read and understood Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking Avoid breathing dust / fume / gas / mist / vapours / spray Wash hands thoroughly after handling Contaminated work clothing should not be allowed out of the workplace Wear protective gloves / protective clothing / eve protection / face protection Use personal protective equipment as required Avoid release to the environment **Precautionary Statements - Response** Specific treatment (see First aid on this SDS) IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention IF ON SKIN: Wash with plenty of soap and water IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower If skin irritation or rash occurs: Get medical advice/attention Wash contaminated clothing before reuse Avoid breathing vapour or spray mist. IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician Do NOT induce vomitina In case of fire: Use extinguishing media as outlined in Section 5 of this Safety Data Sheet for extinction. Collect spillage **Precautionary Statements - Storage**

Store in a well-ventilated place. Keep cool Store locked up

Precautionary Statements - Disposal

Dispose of contents/container in accordance with local, regional, national, and international regulations as applicable

Other hazards which do not result in classificationPoisons Schedule (SUSMP)None allocated

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance

Not applicable

Mixture

Chemical name	CAS No.	Weight-%
Benzyl benzoate	120-51-4	10-<30
Alpha-hexylcinnamaldehyde	101-86-0	10-<30
Diethyl phthalate	84-66-2	1-<10
2-methyl-3-(4-tertbutylphenyl)-propanal (Lilial)	80-54-6	1-<10
Orange, sweet, extract	8028-48-6	1-<10
Linalyl acetate	115-95-7	1-<10
1,6-Octadien-3-ol, 3,7-dimethyl- (Linalool)	78-70-6	1-<10
p-tert-Butylcyclohexanol	98-52-2	1-<10
D,L-Citronellol	106-22-9	1-<10
.alphaAmylcinnamaldehyde	122-40-7	1-<10
Other component(s)	-	to 100

4. FIRST AID MEASURES

Description of first aid measures

Emergency telephone number	Poisons Information Center, Australia: 13 11 26 Poisons Information Center, New Zealand: 0800 764 766		
Inhalation	Remove to fresh air. Call a physician if symptoms occur.		
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected area. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately.		
Skin contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Call a physician if symptoms occur.		
Ingestion	Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Call a physician.		
Self-protection of the first aider	Use personal protective equipment as required. Avoid contact with skin, eyes, and clothing. See section 8 for more information.		
Most important symptoms and effects, both acute and delayed			
Symptoms	May cause allergic skin reaction.		
Indication of any immediate medical attention and special treatment needed			

Note to physicians

Treat symptomatically.

5. FIRE FIGHTING MEASURES				
Suitable Extinguishing Media				
Suitable Extinguishing Media	Alcohol resistant foam is the preferred firefighting medium but, if it is not available, normal protein foam can be used.			
Unsuitable extinguishing media				
Specific hazards arising from the c	hemical			
Specific hazards arising from the chemical	Combustible material.			
Hazardous combustion products	Carbon oxides.			
Special protective actions for fire-fighters				
Special protective equipment for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.			
Hazchem code	•3Z			
6. ACCIDENTAL RELEASE MEASURES				
Personal precautions, protective ed	quipment and emergency procedures			
Personal precautions	Evacuate personnel to safe areas. Use personal protective equipment as required. See section 8 for more information. Avoid contact with skin, eyes, and clothing. Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Do not touch or walk through spilled material.			
Other information	Ventilate the area. Refer to protective measures listed in Sections 7 and 8.			
For emergency responders	Use personal protection recommended in Section 8.			
Environmental precautions				
Environmental precautions	Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. Refer to protective measures listed in Sections 7 and 8.			
Methods and material for containment and cleaning up				
Methods for containment	Stop leak if you can do it without risk. Do not touch or walk through spilled material. Dike far ahead of spill to collect runoff water. Keep out of drains, sewers, ditches and waterways. Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal.			
Methods for cleaning up	Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labelled containers.			
7. HANDLING AND STORA	\GE			

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling	Use personal protection equipment. Avoid contact with skin, eyes, and clothing. Avoid breathing vapors or mists. Handle in accordance with good industrial hygiene and safety practice.	
General hygiene considerations	Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Avoid contact with skin, eyes, and clothing. Wear suitable gloves and eye/face protection.	
Conditions for safe storage, includ	ing any incompatibilities	
Storage Conditions	Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from sunligh Store away from sources of heat or ignition. Keep container closed when not in use.	
	Classified as a C1 (COMBUSTIBLE LIQUID) for the purpose of storage and handling, in accordance with the requirements of AS 1940. Refer to State Regulations for storage and transport requirements.	
Incompatible materials	Strong oxidizing agents.	
Poisons Schedule (SUSMP)	None allocated	

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Limits

No value assigned for this specific material by Safe Work Australia. However, Workplace Exposure Standard(s) for constituent(s):

Chemical name	Australia	ACGIH TLV
Diethyl phthalate	5 mg/m³ TWA	TWA: 5 mg/m ³
84-66-2		

As published by Safe Work Australia Workplace Exposure Standards for Airborne Contaminants.

TWA - The time-weighted average airborne concentration of a particular substance when calculated over an eight-hour working day, for a five-day working week.

These Workplace Exposure Standards are guides to be used in the control of occupational health hazards. All atmospheric contamination should be kept to as low a level as is workable. These workplace exposure standards should not be used as fine dividing lines between safe and dangerous concentrations of chemicals. They are not a measure of relative toxicity.

Appropriate engineering controls

Engineering controls Apply technical measures to comply with the occupational exposure limits.

If in the handling and application of this material, safe exposure levels could be exceeded, the use of engineering controls such as local exhaust ventilation must be considered and the results documented. If achieving safe exposure levels does not require engineering controls, then a detailed and documented risk assessment using the relevant Personal Protective Equipment (PPE) (refer to PPE section below) as a basis must be carried out to determine the minimum PPE requirements.

Individual protection measures, such as personal protective equipment

The selection of PPE is dependent on a detailed risk assessment. The risk assessment should consider the work situation, the physical form of the chemical, the handling methods, and environmental factors.

OVERALLS, SAFETY SHOES, CHEMICAL GOGGLES, GLOVES.



9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state	Clear Liquid	
Appearance	No information available.	
Color	Yellow to Dark yellow	
Odor	Floral Woody Musk	
Odor threshold	No information available.	
Property_	Values	Remarks • Method
рН	No data available	None known
Melting point / freezing point	No data available	
Boiling point / boiling range	No data available	
Flash point	90°C	CC (closed cup)
Evaporation rate	No data available	None known
Flammability (solid, gas)	No data available	None known
Flammability Limit in Air		None known
Upper flammability or explosive	No data available	
limits	No data available	
Lower flammability or explosive limits	No data available	
Vapor pressure	No data available	
Vapor density	No data available	
Relative density	0.981-1.001 @20°C	
Water solubility	No data available	
Solubility(ies)	No data available	None known
Partition coefficient	No data available	None known
Autoignition temperature	No data available	
Decomposition temperature	No data available	None known
Kinematic viscosity	No data available	None known
Dynamic viscosity	No data available	None known

Other information

10. STABILITY AND REACTIVITY

Reactivity	
Reactivity	No information available.
Chemical stability	
Stability	Stable under normal conditions.
Explosion data Sensitivity to mechanical impac	t None.
Sensitivity to static discharge	None.
Possibility of hazardous reactions	
Possibility of hazardous reactions	None under normal processing.
Conditions to avoid	
Conditions to avoid	Heat, flames and sparks. Direct sunlight.
Incompatible materials	
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	

Hazardous decomposition products Carbon oxides.

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Information on likely routes of exposure

Product Information	No adverse health effects expected if the chemical is handled in accordance with this Safety Data Sheet and the chemical label. Symptoms or effects that may arise if the chemical is mishandled and overexposure occurs are:
Inhalation	May cause irritation.
Eye contact	Causes serious eye irritation.
Skin contact	Irritating to skin. May cause sensitization by skin contact.
Ingestion	Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhoea.
Symptoms	Irritation.

Numerical measures of toxicity - Product Information

No information available.

Component Information			
Chemical name	Oral LD50	Dermal LD50	Inhalation LC50

00000026299 - LOTUS FLOWER AIR 00731AC (FAIA00731AC)

Benzyl benzoate	= 500 mg/kg (Rat)	= 4000 mg/kg (Rabbit)	-
Alpha-hexylcinnamaldehyde	= 3100 mg/kg (Rat)	> 3000 mg/kg (Rabbit)	> 5 mg/L (Rat)4 h
Diethyl phthalate	= 8600 mg/kg (Rat)	> 11200 mg/kg (Rat)	> 4.64 mg/L (Rat)6 h
2-methyl-3-(4-tertbutylphenyl)- propanal (Lilial)	= 1390 mg/kg (Rat)	> 5000 mg/kg (Rabbit)	> 1802 mg/m³ (Rat)4 h
Linalyl acetate	= 14550 mg/kg (Rat) = 13934 mg/kg (Rat)	> 5000 mg/kg (Rabbit)	-
1,6-Octadien-3-ol, 3,7-dimethyl- (Linalool)	= 2790 mg/kg (Rat)	= 2000 mg/kg (Rabbit)= 5610 mg/kg (Rat)	-
p-tert-Butylcyclohexanol	= 4200 mg/kg(Rat)	> 5 g/kg (Rabbit)	-
D,L-Citronellol	= 3450 mg/kg(Rat)	= 2650 mg/kg (Rabbit)	-
.alphaAmylcinnamaldehyde	= 3730 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	-

See section 16 for terms and abbreviations

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation	Irritating to skin. Classification is based on mixture calculation methods based on component data.
Serious eye damage/eye irritation	Causes serious eye irritation. Classification is based on mixture calculation methods based on component data.
Respiratory or skin sensitization	May cause sensitization by skin contact. Classification is based on mixture calculation methods based on component data.
Germ cell mutagenicity	No information available.
Carcinogenicity	No information available.
Reproductive toxicity	Suspected of damaging fertility or the unborn child.
STOT - single exposure	No information available.
STOT - repeated exposure	No information available.
Aspiration hazard	No information available.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Ecotoxicity

. Keep out of waterways. Very toxic to aquatic life with long lasting effects.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Benzyl benzoate	-	LC50: =2.32mg/L (96h, Danio rerio)	-	-
Diethyl phthalate	EC50: =23mg/L (72h, Desmodesmus subspicatus) EC50:	LC50: =17mg/L (96h, Pimephales promelas) LC50: =16.8mg/L (96h,	-	EC50: 36 - 74mg/L (48h, Daphnia magna) EC50: =86mg/L (48h, Daphnia

Revision Number 1

	=21mg/L (96h,	Pimephales promelas)		magna)
	Desmodesmus subspicatus) EC50: 42 - 255mg/L (72h, Pseudokirchneriella subcapitata) EC50: 2.11 - 4.29mg/L (96h, Pseudokirchneriella subcapitata)	LC50: =22mg/L (96h, Lepomis macrochirus) LC50: =16.7mg/L (96h, Lepomis macrochirus) LC50: =12mg/L (96h, Oncorhynchus mykiss)		
2-methyl-3-(4-tertbutylp	· · · ·	LC50: 2.2 - 4.6mg/L (96h,	-	EC50: =10.7mg/L (48h,
henyl)-propanal (Lilial)		Brachydanio rerio)		Daphnia magna)
Linalyl acetate	-	LC50: =11mg/L (96h, Cyprinus carpio)	-	-
1,6-Octadien-3-ol, 3,7-dimethyl- (Linalool)	EC50: =88.3mg/L (96h, Desmodesmus subspicatus)	LC50: =27.8mg/L (96h, Oncorhynchus mykiss) LC50: 22 - 46mg/L (96h, Leuciscus idus)	-	EC50: =20mg/L (48h, Daphnia magna)
p-tert-Butylcyclohexanol	EC50: =29mg/L (72h, Desmodesmus subspicatus)	LC50: =17mg/L (48h, Leuciscus idus)	-	EC50: =46mg/L (48h, Daphnia magna)

Persistence and degradability

Persistence and degradability No information available.

Bioaccumulative potential

Bioaccumulation

No information available.

Component Information

Chemical name	Partition coefficient
Benzyl benzoate	4
Diethyl phthalate	2.35
2-methyl-3-(4-tertbutylphenyl)-propanal (Lilial)	4.2
1,6-Octadien-3-ol, 3,7-dimethyl- (Linalool)	2.84 - 3.1
p-tert-Butylcyclohexanol	3.23

Mobility

Mobility in soil

No information available.

Other adverse effects

Endocrine Disruptor Information

Chemical name	EU - Endocrine Disrupters Candidate List	EU - Endocrine Disruptors - Evaluated Substances	Endocrine disrupting potential
Diethyl phthalate	Group III Chemical	-	-

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste from residues/unused products	Should not be released into the environment. Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.
Contaminated packaging	Empty containers pose a potential fire and explosion hazard. Do not cut, puncture or weld containers.

14. TRANSPORT INFORMATION

ADG

Classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for Transport by Road and Rail; DANGEROUS GOODS.

UN number	3082
Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS BENZYL
	BENZOATE)
Hazard class	9
Packing group	III
Hazchem code	•3Z

ΙΑΤΑ

Classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air; DANGEROUS GOODS.

UN number UN proper shipping name	3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS BENZYL BENZOATE)
Transport hazard class(es)	9
Packing group	

IMDG

Classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea; DANGEROUS GOODS.

UN number UN proper shipping name	3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS BENZYL BENZOATE)
Transport hazard class(es)	9
Packing group	III
IMDG EMS Fire	F-A
IMDG EMS Spill	S-F
Marine pollutant	Yes

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

Australia

Classified as dangerous goods in accordance with the Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG).

Environmentally Hazardous Substances meeting the descriptions of UN 3077 or UN 3082 are not subject to the provisions of the Australian Code for the Transport of Dangerous Goods by Road and Rail when transported by road or rail in: packagings that do not incorporate a receptacle exceeding 500 kg(L); or IBCs.

Classified as a hazardous chemical in accordance with the criteria of Safe Work Australia - Globally Harmonized System (GHS).

See section 8 for national exposure control parameters

Poisons Schedule (SUSMP) None allocated

National pollutant inventory

Subject to	reporting	requirement

Chemical name	National pollutant inventory
Benzyl benzoate - 120-51-4	20 MW Threshold category 2b total
	60000 MWH Threshold category 2b total
	1 tonne/h Threshold category 2a total
	25 tonne/yr Threshold category 1a total
	400 tonne/yr Threshold category 2a total
	2000 tonne/yr Threshold category 2b total

International Inventories AICS

All the constituents of this material are listed on the Australian Inventory of Chemical Substances.

Legend: AICS - Australian Inventory of Chemical Substances

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

Reason(s) For Issue: First Issue Primary SDS

Issuing Date: 14-Jul-2020

This Safety Data Sheet has been prepared by Ixom Operations Pty Ltd (Toxicology and SDS Services).

Revision Note:

The symbol (*) in the margin of this SDS indicates that this line has been revised.

Key or legend to abbreviations and acronyms used in the safety data sheet Legend Section 8: EXPOSURE CONTROL S/PERSONAL PROTECTION

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value	*	Skin designation
С	Carcinogen		-

Key literature references and sources for data used to compile the SDS

EPA (Environmental Protection Agency) Acute Exposure Guideline Level(s) (AEGL(s)) U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act U.S. Environmental Protection Agency High Production Volume Chemicals Food Research Journal Hazardous Substance Database International Uniform Chemical Information Database (IUCLID) Japan GHS Classification Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS) NIOSH (National Institute for Occupational Safety and Health) National Library of Medicine's ChemID Plus (NLM CIP) National Library of Medicine's PubMed database (NLM PUBMED) National Toxicology Program (NTP) New Zealand's Chemical Classification and Information Database (CCID) Organization for Economic Co-operation and Development Environment, Health, and Safety Publications Organization for Economic Co-operation and Development High Production Volume Chemicals Program Organization for Economic Co-operation and Development Screening Information Data Set RTECS (Registry of Toxic Effects of Chemical Substances) World Health Organization

Disclaimer

This SDS summarises to our best knowledge at the date of issue, the chemical health and safety hazards of the material and general guidance on how to safely handle the material in the workplace. Since Ixom Operations Pty Ltd cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, assess and control the risks arising from its use of the material.

If clarification or further information is needed, the user should contact their Bronson & Jacobs representative or Ixom Operations Pty Ltd at the contact details on page 1.

Ixom Operations Pty Ltd's responsibility for the material as sold is subject to the terms and conditions of sale, a copy of which is available upon request.

Bronson and Jacobs incorporating the businesses of Woods and Woods and Keith Harris.

End of Safety Data Sheet