

SAFETY DATA SHEET

1. Identification

| Product identifier | AM225759 Desert Torchwo | ood Fragrance | | |
|--|---|--|--|--|
| Other means of identification | | | | |
| Product Code | AM225759 | | | |
| Recommended use | Not available. | | | |
| Recommended restrictions | None known. | | | |
| Manufacturer/Importer/Supplier/Distributor information | | | | |
| Manufacturer | | | | |
| Company name Address | Arylessence, Inc. 1091 Lake Drive Marietta, GA 30066-1073 United States | | | |
| Telephone E-mail | General Assistance regulatory2@arylessence.co | 770-924-3775 om | | |
| Emergency phone number | for shipping/transportation InfoTrac (International) InfoTrac (International) | spill emergencies only 352-323-3500 352-323-3500 | | |

2. Hazard(s) identification

Classification According to 29 CFR 1910.1200

| Physical hazards | Not classified. | |
|--|--|-------------|
| Health hazards | Skin corrosion/irritation | Category 2 |
| | Sensitization, skin | Category 1A |
| | Carcinogenicity | Category 1B |
| Environmental hazards | Hazardous to the aquatic environment, acute hazard | Category 2 |
| | Hazardous to the aquatic environment, long-term hazard | Category 1 |
| OSHA defined hazards | Not classified. | |
| Hazard(s) not otherwise classified (HNOC) | Not classified. | |

Label elements



| Signal word | Danger |
|-------------------------|--|
| Hazard statement | Causes skin irritation. May cause an allergic skin reaction. May cause cancer. Toxic to aquatic life. Very toxic to aquatic life with long lasting effects. |
| Precautionary statement | |
| Prevention | Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid breathing mist or vapor. Wash thoroughly after handling. Contaminated work clothing must not be allowed out of the workplace. Avoid release to the environment. Wear protective gloves/protective clothing/eye protection/face protection. |
| Response | If on skin: Wash with plenty of water. If exposed or concerned: Get medical advice/attention. If skin irritation or rash occurs: Get medical advice/attention. Take off contaminated clothing and wash before reuse. Collect spillage. |
| Storage | Store locked up. |
| Disposal | Dispose of contents/container in accordance with local/regional/national/international regulations. |

3. Composition/information on ingredients

Mixtures

| Chemical name | Common name and synonyms | CAS number | % |
|--|--------------------------|------------|------------|
| 1-(1,2,3,4,5,6,7,8-OCTAHYDRO-2,3 ,8,8-TETRAMETHYL-2-NAPHTHAL ENYL)ETHANONE | | 54464-57-2 | 26 |
| LINALOOL | | 78-70-6 | 3.412 |
| 5-(2,2,3-TRIMETHYL-3-CYCLOPE NTENYL)-3-METHYLPENTAN-2-O L | | 65113-99-7 | 2 |
| BUTYLATED HYDROXYTOLUENE | | 128-37-0 | 2 |
| COUMARIN | | 91-64-5 | 1.2 |
| GUAIACWOOD OIL | | 8016-23-7 | 1 |
| EUGENOL | | 97-53-0 | 0.8 |
| BENZYL BENZOATE | | 120-51-4 | 0.563 |
| EUCALYPTUS GLOBULUS OIL | | 8000-48-4 | 0.543 |
| CINNAMALDEHYDE | | 104-55-2 | 0.5 |
| 1-(2,2,6-TRIMETHYLCYCLOHEXY L)-3-HEXANOL | | 70788-30-6 | 0.4 |
| FIR/PINE NEEDLE OIL (A. SIBERICA) | | 8021-29-2 | 0.38 |
| CAMPHENE | | 79-92-5 | 0.184 |
| ALPHA-PINENE | | 80-56-8 | 0.173 |
| VETIVER OIL | | 8016-96-4 | 0.115 |
| 6-ACETYL-1,1,2,4,4,7-HEXAMETH YLTETRALINE | | 1506-02-1 | 0.1 |
| BENZOIN SIAM. RESINOID | | 9000-72-0 | 0.1 |
| LABDANUM OIL (CISTUS OIL) | | 8016-26-0 | 0.1 |
| LAVANDIN GROSSO | | 8022-15-9 | 0.1 |
| NUTMEG OIL | | 8008-45-5 | 0.1 |
| OLIBANUM OIL | | 8016-36-2 | 0.1 |
| STYRAX EXTRACTS | | 8024-01-9 | 0.1 |
| Other components below reportable | levels | | 60.0312825 |

*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures

| Inhalation | Move to fresh air. Call a physician if symptoms develop or persist. |
|--|---|
| Skin contact | Remove contaminated clothing immediately and wash skin with soap and water. In case of eczema or other skin disorders: Seek medical attention and take along these instructions. Wash contaminated clothing before reuse. |
| Eye contact | Rinse with water. Get medical attention if irritation develops and persists. |
| Ingestion | Rinse mouth. Get medical attention if symptoms occur. |
| Most important symptoms/effects, acute and delayed | Skin irritation. May cause redness and pain. May cause an allergic skin reaction. Dermatitis. Rash. |
| Indication of immediate medical attention and special treatment needed | Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed. |
| General information | IF exposed or concerned: Get medical advice/attention. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Wash contaminated clothing before reuse. |

5. Fire-fighting measures

| Suitable extinguishing media | Foam. Powder. Carbon dioxide (CO2). |
|---|---|
| Unsuitable extinguishing media | Do not use water jet as an extinguisher, as this will spread the fire. |
| Specific hazards arising from the chemical | During fire, gases hazardous to health may be formed. |
| Special protective equipment and precautions for firefighters | Self-contained breathing apparatus and full protective clothing must be worn in case of fire. |
| Fire fighting equipment/instructions | Move containers from fire area if you can do so without risk. |
| Specific methods | Use standard firefighting procedures and consider the hazards of other involved materials. |
| General fire hazards | No unusual fire or explosion hazards noted. |

6. Accidental release measures

| Personal precautions, protective equipment and emergency procedures | Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Avoid breathing mist or vapor. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS. |
|---|---|
| Methods and materials for containment and cleaning up | This material is classified as a water pollutant under the Clean Water Act and should be prevented from contaminating soil or from entering sewage and drainage systems which lead to waterways. |
| | Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water. |
| | Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination. |
| | Never return spills to original containers for re-use. Put material in suitable, covered, labeled containers. For waste disposal, see section 13 of the SDS. |
| Environmental precautions | Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground. |
| 7. Handling and storage | |
| Precautions for safe handling | Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid breathing mist or vapor. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Should be handled in closed systems, if possible. Provide adequate ventilation. Wear appropriate personal protective equipment. Avoid release to the environment. Observe good industrial hygiene practices. |
| • • • • • • | |

Conditions for safe storage, including any incompatibilities Store locked up. Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

| Components | Туре | Value | Form |
|---|---------------|----------|-------------------------------|
| ALPHA-PINENE (CAS 80-56-8) | TWA | 20 ppm | |
| BUTYLÁTED HYDROXYTOLUENE (CAS 128-37-0) | TWA | 2 mg/m3 | Inhalable fraction and vapor. |
| US. NIOSH: Pocket Guide to Chen | nical Hazards | | |
| Components | Туре | Value | |
| BUTYLATED HYDROXYTOLUENE (CAS 128-37-0) | TWA | 10 mg/m3 | |

Biological limit values

No biological exposure limits noted for the ingredient(s).

| Appropriate engineering controls | Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash fountain and emergency showers are recommended. |
|---|--|
| Individual protection measures | , such as personal protective equipment |
| Eye/face protection | Wear safety glasses with side shields (or goggles). |
| Skin protection Hand protection | Wear appropriate chemical resistant gloves. |
| Other | Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended. |
| Respiratory protection Thermal hazards | In case of insufficient ventilation, wear suitable respiratory equipment. Wear appropriate thermal protective clothing, when necessary. |
| mermai nazarus | wear appropriate thermal protective clothing, when necessary. |
| General hygiene considerations | Observe any medical surveillance requirements. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace. |

9. Physical and chemical properties

.

| Appearance | |
|--|--|
| Physical state | Liquid. |
| Form | Liquid. |
| Color | PALE YELLOW TO YELLOW |
| Odor | SPICY; WOODY; SWEET |
| Odor threshold | Not available. |
| рН | Not available. |
| Melting point/freezing point | Not available. |
| Initial boiling point and boiling range | Not available. |
| Flash point | > 200.0 °F (> 93.3 °C) Closed Cup |
| Evaporation rate | Not available. |
| Flammability (solid, gas) | Not applicable. |
| Upper/lower flammability or exp | losive limits |
| Flammability limit - lower (%) | Not available. |
| Flammability limit - upper (%) | Not available. |
| Explosive limit - lower (%) | Not available. |
| Explosive limit - upper (%) | Not available. |
| Vapor pressure | Not available. |
| Vapor density | Not available. |
| Relative density | Not available. |
| Solubility(ies) | |
| oolubility(103) | |
| Solubility (water) | Insoluble |
| • • • | Insoluble Not available. |
| Solubility (water) Partition coefficient | |
| Solubility (water) Partition coefficient (n-octanol/water) | Not available. |
| Solubility (water) Partition coefficient (n-octanol/water) Auto-ignition temperature | Not available. |
| Solubility (water) Partition coefficient (n-octanol/water) Auto-ignition temperature Decomposition temperature | Not available. Not available. Not available. |
| Solubility (water) Partition coefficient (n-octanol/water) Auto-ignition temperature Decomposition temperature Viscosity | Not available. Not available. Not available. Not available. Not explosive. |
| Solubility (water) Partition coefficient (n-octanol/water) Auto-ignition temperature Decomposition temperature Viscosity Other information | Not available. Not available. Not available. Not available. |
| Solubility (water) Partition coefficient (n-octanol/water) Auto-ignition temperature Decomposition temperature Viscosity Other information Explosive properties | Not available. Not available. Not available. Not available. Not explosive. |

VOC (Weight %)

Not available.

10. Stability and reactivity

| Reactivity | The product is stable and non-reactive under normal conditions of use, storage and transport. |
|---------------------------------------|---|
| Chemical stability | Material is stable under normal conditions. |
| Possibility of hazardous reactions | No dangerous reaction known under conditions of normal use. |
| Conditions to avoid | Avoid temperatures exceeding the flash point. Contact with incompatible materials. |
| Incompatible materials | Strong oxidizing agents. |
| Hazardous decomposition products | No hazardous decomposition products are known. |

11. Toxicological information

Information on likely routes of exposure

| Inhalation | Prolonged inhalation may be harmful. |
|--|--|
| Skin contact | Causes skin irritation. May cause an allergic skin reaction. |
| Eye contact | Direct contact with eyes may cause temporary irritation. |
| Ingestion | Expected to be a low ingestion hazard. |
| Symptoms related to the physical, chemical and toxicological characteristics | Skin irritation. May cause redness and pain. May cause an allergic skin reaction. Dermatitis. Rash. |
| | |

Information on toxicological effects

Acute toxicity

| Components | Species | Test Results |
|--|--|--|
| BENZYL BENZOATE (CAS 120-5 | i1-4) | |
| Acute | | |
| Dermal | | |
| LD50 | Rat | 4000 mg/kg |
| Oral | | |
| LD50 | Rat | 1700 mg/kg |
| NUTMEG OIL (CAS 8008-45-5) | | |
| Acute | | |
| Oral | | |
| LD50 | Rat | 2620 mg/kg |
| * Estimates for product may b | e based on additional componer | nt data not shown. |
| Skin corrosion/irritation | Causes skin irritation. | |
| Serious eye damage/eye irritation | Direct contact with eyes may o | cause temporary irritation. |
| Respiratory or skin sensitization | n | |
| ACGIH sensitization | | |
| TURPENTINE AND SEL (CAS 80-56-8) | ECTED MONOTERPENES | Dermal sensitization |
| Respiratory sensitization | Not a respiratory sensitizer. | |
| Skin sensitization | May cause an allergic skin rea | action. |
| Germ cell mutagenicity | No data available to indicate p mutagenic or genotoxic. | product or any components present at greater than 0.1% are |
| Carcinogenicity | May cause cancer. | |
| IARC Monographs. Overall Evaluation of Carcinogenicity | | |
| BUTYLATED HYDROXYTOLUENE (CAS 128-37-0) COUMARIN (CAS 91-64-5) EUGENOL (CAS 97-53-0) OSHA Specifically Regulated Substances (29 CFR 1910.10 | | 3 Not classifiable as to carcinogenicity to humans. 3 Not classifiable as to carcinogenicity to humans. 3 Not classifiable as to carcinogenicity to humans. 001-1050) |
| Not regulated. | | |

US. National Toxicology Program (NTP) Report on Carcinogens

| Not listed. | |
|---|--|
| Reproductive toxicity | This product is not expected to cause reproductive or developmental effects. |
| Specific target organ toxicity - single exposure | Not classified. |
| Specific target organ toxicity - repeated exposure | Not classified. |
| Aspiration hazard | Not an aspiration hazard. |
| Chronic effects | Prolonged inhalation may be harmful. |

12. Ecological information

| Ecotoxicity | Very toxic to aquatic life with long lasting effects. |
|-------------------------------|--|
| Persistence and degradability | No data is available on the degradability of any ingredients in the mixture. |

Bioaccumulative potential

| Partition coefficient n-oc | tanol / water (log Kow) | |
|----------------------------|-------------------------|------|
| ALPHA-PINENE | | 4.83 |
| BENZYL BENZOATE | | 3.97 |
| COUMARIN | | 1.39 |
| EUGENOL | | 2.27 |
| LINALOOL | | 2.97 |
| Mobility in soil | No data available. | |

Other adverse effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations


| Disposal instructions | Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations. |
|--|--|
| Local disposal regulations | Dispose in accordance with all applicable regulations. |
| Hazardous waste code | The waste code should be assigned in discussion between the user, the producer and the waste disposal company. |
| Waste from residues / unused products | Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions). |
| Contaminated packaging | Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal. |

14. Transport information

| DOT | |
|------------------------------|---|
| UN number | UN3082 |
| UN proper shipping name | Environmentally hazardous substances, liquid, n.o.s. (Timbersilk) |
| Transport hazard class(es) | |
| Class | 9 |
| Subsidiary risk | - |
| Label(s) | 9 |
| Packing group | III |
| Environmental hazards | |
| Marine pollutant | Yes |
| Special precautions for user | • Read safety instructions, SDS and emergency procedures before handling. |
| Special provisions | 8, 146, 335, IB3, T4, TP1, TP29 |
| Packaging exceptions | 155 |
| Packaging non bulk | 203 |
| Packaging bulk | 241 |
| ΙΑΤΑ | |
| UN number | UN3082 |
| UN proper shipping name | Environmentally hazardous substance, liquid, n.o.s. (Timbersilk) |
| | |

| 9 |
|---|
| - |
| III |
| Yes |
| 9L |
| Read safety instructions, SDS and emergency procedures before handling. |
| |
| Allowed with restrictions. |
| Allowed with restrictions. |
| Allowed with restrictions. |
| UN3082 |
| ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Timbersilk) |
| |
| 9 |
| 9 |
| - |
| 111 |
| Mar |
| Yes |
| F-A, S-F |
| Read safety instructions, SDS and emergency procedures before handling. |
| Not established. |
| |
| |

the IBC Code DOT; IATA; IMDG



Marine pollutant



General information

IMDG Regulated Marine Pollutant. DOT Regulated Marine Pollutant.

15. Regulatory information

| US federal regulations | This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200. |
|-----------------------------|--|
| TSCA Section 12(b) Export N | lotification (40 CFR 707, Subpt. D) |
| Not regulated. | |
| CERCLA Hazardous Substar | nce List (40 CFR 302.4) |
| ALPHA-PINENE (CAS 80 | -56-8) Listed. |
| SARA 304 Emergency releas | e notification |
| Not regulated. | |

| OSHA Specifically Regulate Not regulated. | d Substances (29 CFR 1910.1001-1050) |
|---|--|
| C C | eauthorization Act of 1986 (SARA) |
| Hazard categories | Immediate Hazard - Yes Delayed Hazard - Yes Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No |
| SARA 302 Extremely hazard | dous substance |
| Not listed. | |
| SARA 311/312 Hazardous chemical | No |
| SARA 313 (TRI reporting) Not regulated. | |
| Other federal regulations | |
| Clean Air Act (CAA) Section | n 112 Hazardous Air Pollutants (HAPs) List |
| Not regulated. Clean Air Act (CAA) Section | n 112(r) Accidental Release Prevention (40 CFR 68.130) |
| Not regulated. | |
| Safe Drinking Water Act (SDWA) | Not regulated. |
| FEMA Priority Substand | ces Respiratory Health and Safety in the Flavor Manufacturing Workplace |
| CINNAMALDEHYDE | E (CAS 104-55-2) Low priority |
| US state regulations | California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins. |
| US. California Proposition 6 Not Listed. | 5 |
| 16. Other information, inc | luding date of preparation or last revision |
| Issue date | 08-04-2020 |
| Revision date | 08-04-2020 |
| | |

| Revision date | 08-04-2020 |
|---------------|--|
| Version # | 13 |
| HMIS® ratings | Health: 2* Flammability: 0 Physical hazard: 0 |
| Disclaimer | To the best of our knowledge, the information provided in the Safety Data Sheet is accurate. It is intended to assist the user in his evaluation of the product's hazards, and safety precautions to be taken in its use. The data on this SDS relates only to the specific material designated herein. It is consistent with the state of general scientific and technical knowledge and should be used in accordance with professional guidelines. Arylessence, Inc. assumes no legal responsibility for use or reliance upon this data. See SDS for additional information. |

(airfunes