

Printed on 07 Oct 2025

GHS: According to 2015/830/EU

Code Number FM79353

Version 1 Revised 7/10/2025 4:41:45 PM

Section 1. I dentification of the substance/mixture and of the company/undertaking

1.1 Product Identifier

Product Name FRUITY FRAGRANCE SW

Code Number FM79353

Alternative Name

REACH Reg No Not registered

1.2 Relevant identified uses of the substance or mixture and uses advised against For fragrance use.

1.3 Details of the supplier of the safety data sheet

Australian Botanical Products Ltd

39 Melverton Drive, Hallam

Victoria, 3803

Australia

ABN: 45006782529

Telephone Number Tel No. +613 97094800 Email Address abpsales@ixom.com

1.4 Emergency Tel No Emergency No. +61 1 800 033 111

## Section 2. Hazard I dentification

2.1 Classification of the substance or mixture

FL 3 Flammable liquid, category 3
SS 1B Skin sensitisation, category 1B
EDI 2A Eye damage/irritation, category 2A
EH A2 Aquatic hazard, acute, category 2

2.2 Label elements

Printed on 07 Oct 2025

GHS: According to 2015/830/EU

Code Number FM79353

Version 1 Revised 7/10/2025 4:41:45 PM

GHS classification according to Regulation (EC) No 1272/2008

Hazard Pictograms



Signal Word Warning

**Hazard Statements** 

H226 Flammable liquid and vapour

H317 May cause an allergic skin reaction

H319 Causes serious eye irritation

H401 Toxic to aquatic life

**Precautionary Statements** 

P210 Keep away from heat, hot surfaces, sparks, open flames and

other ignition sources. No smoking.

P261 Avoid breathing fumes.

P264 Wash hands thoroughly after handling

P273 Avoid release to the environment.

P280 Wear protective gloves and eye protection

P302+P352 IF ON SKIN: Wash with plenty of water.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated

clothing. Rinse skin with water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue

rinsing.

P333+P313 If skin irritation or rash occurs: Get medical advice.

P337+P313 If eye irritation persists: Get medical attention.

P362+P364 Take off contaminated clothing and wash it before reuse.

P403+P235 Store in a well-ventilated place. Keep cool.

P501 Dispose of contents/container in accordance to local regulations

Printed on 07 Oct 2025

GHS: According to 2015/830/EU

Code Number FM79353

Version 1 Revised 7/10/2025 4:41:45 PM

### 2.3 Other Hazards

Contains Coumarin and Eugenol which may produce an allergic reaction

No further information available at this time

## Section 3. Composition / information on ingredients

Any percentage values listed here for hazardous components are for illustrative purposes only

#### 3.2 Mixtures

Complex mixture of ingredients

## Hazardous components

ID Numbers	Chemical Name, Classification and Hazards	Conc (%)
CAS 140-11-4 EINECS 205-399-7 REACH	benzyl acetate  FL 4;ATO 5;ATI 5;EH A2,C3 H227,H303,H333,H401,H412	10% - 30%
CAS 105-54-4 EINECS 203-306-4 REACH	ethyl butyrate FL 3;EDI 2A H226,H319	10% - 30%
CAS 123-68-2 EINECS 204-642-4 REACH	allyl hexanoate  FL 4;ATO 3(218);ATD 3(820);ATI 3;EH A1,C3 H227,H301,H311,H331,H400,H412	1% - 10%
CAS 123-92-2 EINECS 204-662-3 REACH	isopentyl acetate FL 3;EH A3 H226,H402	1% - 10%
CAS 110-19-0 EINECS 203-745-1 REACH	Isobutyl Acetate  FL 2;STO-SE 3(NE) H225,H336	1% - 10%
CAS 91-64-5 EINECS 202-086-7 REACH	Coumarin ATO 3(293); SS 1B; EH A2, C3 H301, H317, H401, H412	1% - 10%
CAS 121-33-5 EINECS 204-465-2 REACH	Vanillin ATO 5(3978);EDI 2A;EH A3 H303,H319,H402	1% - 10%
CAS 106-27-4 EINECS 203-380-8 REACH	3-methylbutyl butyrate  FL 3;EH A2 H226,H401	1% - 10%
CAS 97-53-0 EINECS 202-589-1 REACH	Eugenol ATO 5(2000); SCI 2; SS 1; EDI 2A H303, H315, H317, H319	<1%

Refer to section 16 for the wording of listed classification and hazard statement codes

Printed on 07 Oct 2025

GHS: According to 2015/830/EU

Code Number FM79353

Version 1 Revised 7/10/2025 4:41:45 PM

#### Section 4. First Aid measures

Take phrases in section 2 into account

4.1 Description of first aid measures

#### After inhalation

If fumes or combustion products are inhaled, remove to fresh uncontaminated air, lay patient on back until breathing returns to normal. Obtain medical advice if necessary.

#### After skin contact

May cause an allergic skin reaction. Remove contaminated clothing. Wash thoroughly with soap and water. Seek medical advice if irritation persists or there is any sign of tissue damage.

## After eye contact

Causes serious eye irritation. Flush eyes with plenty of water for 15 minutes including under eyelid. Seek medical advice if irritation persists. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.

#### After ingestion

Do NOT induce vomiting. Position to avoid aspiration should vomiting occur. Wash mouth with plenty of water and obtain medical advice immediately. Never give anything by the mouth to an unconscious patient.

- 4.2 Most important symptoms and effects, both acute and delayed
  Take phrases in sections 2 and 11 into account. No further information available at this time.
- 4.3 Indication of immediate medical attention and special treatment needed Treat symptomatically.

## Section 5. Fire-fighting measures

### 5.1 Extinguishing Media

Carbon dioxide, foam or dry powder. DO NOT USE A DIRECT WATER JET.

5.2 Special hazards arising from the substance or mixture May produce Carbon dioxide and unidentified organic compounds.

### 5.3 Advice for fire-fighters

Wear Self-Contained Breathing Apparatus (S.C.B.A.) and full protective clothing to minimise skin exposure. Avoid inhalation of dusts/vapours. Keep containers cool with water spray. Do not use direct water jet on burning material. Do not allow spillage of fire to enter drains or watercourses.

HazChem Code • 3Y

Printed on 07 Oct 2025

GHS: According to 2015/830/EU

Code Number FM79353

Version 1 Revised 7/10/2025 4:41:45 PM

#### Section 6. Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Remove all sources of ignition. Avoid inhalation, skin and eye contact. Ensure proper ventilation. Evacuate all unnecessary personnel. If possible, contain the spill.
- 6.2 Environmental precautions

Do not discharge directly into drains or the soil. Keep away from surface and ground water.

6.3 Methods and material for containment and cleaning up

Soak up spillage with sand or other inert absorbent material such as earth or vermiculite; transfer used material to a suitable waste container and dispose in accordance with regulations. If large quantities of this material enter the waterways, contact the EPA or your local Waste Management Group.

6.4 Reference to other sections

Refer to information in Sections 7, 8 and 13

# Section 7. Handling and storage

7.1 Precautions for safe handling

Maintain good occupational and personal hygiene. Avoid inhalation and contact with skin and eyes. Wear protective clothing and use safety glasses. Keep in original container or an alternative made from a compatible material.

7.2 Conditions for safe storage, including any incompatibilities

Store in tightly sealed original containers away from ignition sources and in a cool place. Avoid contact with incompatible materials that support combustion, such as strong oxidising agents.

7.3 Specific end use(s)

No further information available.

## Section 8. Exposure controls / personal protection

8.1 Control Parameters

Avoid repeated or prolonged contact with the skin. Keep out of eyes. Do not ingest. Use with good ventilation, do not breathe dusts/vapours. Sensitive individuals may develop an allergic response.

8.2 Exposure controls

Engineering controls

Natural ventilation should be sufficient, however where dusts/vapours are generated the use of a grounded mechanical exhaust ventilation system is recommended.

Printed on 07 Oct 2025

GHS: According to 2015/830/EU

Code Number FM79353

Version 1 Revised 7/10/2025 4:41:45 PM

#### Individual protection measures

Refer to Section 5 for specific fire/chemical personal protective equipment advice. Always wash routinely before breaks, meals and at the end of the work period.

Eye/face protection

Use splash-proof safety glasses and face shield where splashing is possible.

### Hand protection

Wear chemically resistant disposable gloves.

### Other skin protection

Wear overalls. Depending on conditions in the workplace, additional body protection should be considered. Always wash routinely before breaks, meals and at the end of the work period.

#### Respiratory protection

Not generally required. Use inhalation protection in poorly ventilated areas.

#### Thermal hazards

No information.

### Environmental exposure controls

Emissions from ventilation and process equipment should be checked to ensure compliance with environmental protection legislation.

## National Exposure Standards

Workplace exposure limits have been established by Worksafe Australia for the following constituents:

Isoamyl acetate; Isopentyl acetate/CAS: 123-92-2 = TWA 270 mg/m3 (50 ppm), STEL 541 mg/m3 (100 ppm)

Isobutyl acetate/CAS: 110-19-0 = TWA 713 mg/m3 (150 ppm)

TWA - The time-weighted average airborne concentration of a particular substance when calculated over an eight-hour working day, for a five-day working week.

## Biological Limit Values

No biological limit allocated.

## Section 9. Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

FLASH POINT (°C) 38°C

APPEARANCE Mobile liquid

COLOUR Colourless to yellow

ODOUR Tutti fruity, berry, strong, vanilla

Printed on 07 Oct 2025

GHS: According to 2015/830/EU

Code Number FM79.35.3

Version 1 Revised 7/10/2025 4:41:45 PM

ODOUR THRESHOLD Not available pH @20 DEG C Not available MELTING/FREEZING POINT Not available INITIAL BOILING POINT AND Not available

**RANGE** 

**EVAPORATION RATE** Not available FLAMMABILITY (SOLID/GAS) Not available UPPER/LOWER FLAMMABILITY Not available

LIMITS

VAPOUR PRESSURE Not available **VAPOUR DENSITY** Not available SPECIFIC GRAVITY @ 20°C 0.885 - 0.905

**SOLUBILITIES** Insoluble in water

PARTITION COEFF N-OCTANAL/WATER

Not available

**AUTO-IGNITION TEMPERATURE** Not available **DECOMPOSITION TEMPERATURE** Not available VISCOSITY @ 20 DEG C Not available **EXPLOSIVE PROPERTIES** Not available **OXIDISING PROPERTIES** Not available

9.2 Other information

No further information available.

Section 10. Stability and reactivity

10.1 Reactivity

No data.

10.2 Chemical Stability

Stable under the recommended storage conditions (see section 7).

10.3 Possibility of hazardous reactions

No hazardous reactions if stored under suitable storage conditions.

Printed on 07 Oct 2025

GHS: According to 2015/830/EU

Code Number FM79353

Version 1 Revised 7/10/2025 4:41:45 PM

#### 10.4 Conditions to avoid

Avoid exposure to heat, sources of ignition, and open flame. Avoid exposure to air.

### 10.5 Incompatible materials

Keep away from oxidising agents and from highly alkaline or acidic material.

## 10.6 Hazardous decomposition products

During combustion may form carbon monoxide, carbon dioxide and unidentified organic compounds.

## Section 11. Toxicological information

## 11.1 Information on toxicological effects

Acute toxicity

Not classified based on available data.

Skin corrosion / irritation

Not classified based on available data.

Serious eye damage / irritation

Causes serious eye irritation.

Respiratory or skin sensitisation

May cause an allergic skin reaction.

Germ cell mutagenicity

No data

Carcinogenicity

No data

Reproductive toxicity

No data

STO-single exposure

No data

STO-repeated exposure

No data

Aspiration hazard

No data

Information on likely routes of exposure

No data

Printed on 07 Oct 2025

GHS: According to 2015/830/EU

Code Number FM79353

Version 1 Revised 7/10/2025 4:41:45 PM

Symptoms related to the physical, chemical and toxicological characteristics No data

Delayed and immediate effects as well as chronic effects from short and long-term exposure

No data

Interactive effects

No data

Other information

No data

## Section 12. Ecological information

12.1 Toxicity

Toxic to aquatic life. Avoid contaminating waterways.

12.2 Persistence and degradability

No test data available for this substance.

12.3 Bioaccumulative potential

No data.

12.4 Mobility in soil

Avoid soil, surface water and water-bearing stratum contamination.

12.5 Results of PBT and vPvB assessment

No data.

12.6 Other adverse effects

See sections 6, 7, 13 and 15.

Section 13. Disposal considerations

Please refer to the information in section 8 (Exposure controls and personal protection)

13.1 Waste treatment methods

Dispose in accordance with the law and local regulations. Treat as trade effluent.

Section 14. Transport information

Printed on 07 Oct 2025

GHS: According to 2015/830/EU

Code Number FM79353

Version 1 Revised 7/10/2025 4:41:45 PM

14.1 UN number

ADR 1993 IATA 1993 IMDG 1993

14.2 UN proper shipping name

ADR FLAMMABLE LIQUID, N.O.S. (ETHYL BUTYRATE, ISO BUTYL ACETATE)

IATA FLAMMABLE LIQUID, N.O.S. (ETHYL BUTYRATE, ISO BUTYL ACETATE)

IMDG FLAMMABLE LIQUID, N.O.S. (ETHYL BUTYRATE, ISO BUTYL ACETATE)

14.3 Transport hazard class(es)

ADR 3
IATA 3
IMDG 3

14.4 Packing group

ADR III
IATA III
IMDG III
Tunnel Code (D/E)

14.5 Environmental Hazards

No relevant information available.

14.6 Special precautions for user

Maritime Transport (International Maritime Dangerous Goods Code (IMDG Code)):

EmS: F-E,S-E Marine Pollutant: No

Road and Rail Transport (Australian Dangerous Goods Code (ADG Code)):

HazChem Code • 3Y

14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.

### Section 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Poison Schedule (SUSMP): Not Applicable HS Tariff Code: 3302.90.00

All constituents of this material are compliant with AICIS regulation.

Printed on 07 Oct 2025

GHS: According to 2015/830/EU

Code Number FM79353

Version 1 Revised 7/10/2025 4:41:45 PM

## 15.2 Chemical safety assessment

A chemical safety assessment has not been carried out.

## Section 16. Other information

## Full list of precautionary phrases

ran hat or precaution	ary prinases	
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.	
P241	Use explosion-proof equipment.	
P242	Use only non-sparking tools.	
P243	Take precautionary measures against static discharge.	
P261	Avoid breathing fumes.	
P264	Wash hands thoroughly after handling	
P272	Contaminated work clothing should not be allowed out of the workplace.	
P273	Avoid release to the environment.	
P280	Wear protective gloves and eye protection	
P302+P352	IF ON SKIN: Wash with plenty of water.	
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.	
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.	
P333+P313	If skin irritation or rash occurs: Get medical advice.	
P337+P313	If eye irritation persists: Get medical attention.	
P362+P364	Take off contaminated clothing and wash it before reuse.	
P403+P233	Store in a well-ventilated place. Keep container tightly closed.	
P403+P235	Store in a well-ventilated place. Keep cool.	
P501	Dispose of contents/container in accordance to local regulations	
Wording of any hazard classes listed in section 3		
FL 2	Flammable liquid, category 2	
FL 3	Flammable liquid, category 3	
FL 4	Flammable liquid, category 4	
ATO 3	Acute toxicity, oral, category 3	
ATO 4	Acute toxicity, oral, category 4	
ATO 5	Acute toxicity, oral, category 5	

Printed on 07 Oct 2025

GHS: According to 2015/830/EU

Code Number FM79353

Version 1 Revised 7/10/2025 4:41:45 PM

AH 1	Aspiration hazard, category 1	
ATD 3	Acute toxicity, dermal, category 3	
SCI 2	Skin corrosion/irritation, category 2	
SCI 3	Skin corrosion/irritation, category 3	
SS 1	Skin sensitisation, category 1	
SS 1B	Skin sensitisation, category 1B	
EDI 2A	Eye damage/irritation, category 2A	
ATI 3	Acute toxicity, inhalation, category 3	
ATI 5	Acute toxicity, inhalation, category 5	
STO-SE 3(RI)	Specific target organ, single exposure, respiratory irritation	
EH A1	Aquatic hazard, acute, category 1	
EH A2	Aquatic hazard, acute, category 2	
EH A3	Aquatic hazard, acute, category 3	
EH C3	Aquatic hazard, chronic, category 3	
Wording of any hazard statements listed in section 3		
H225	Highly flammable liquid and vapour	
H226	Flammable liquid and vapour	
H227	Combustible liquid	
H301	Toxic if swallowed	
H302	Harmful if swallowed	
H303	May be harmful if swallowed	
H304	May be fatal if swallowed and enters airways	
H311	Toxic in contact with skin	
H315	Causes skin irritation	
H316	Causes mild skin irritation	
H317	May cause an allergic skin reaction	
H319	Causes serious eye irritation	
H331	Toxic if inhaled	
H333	May be harmful if inhaled	
H335	May cause respiratory irritation	
H400	Very toxic to aquatic life	
H401	Toxic to aquatic life	
H402	Harmful to aquatic life	
H412	Harmful to aquatic life with long lasting effects	

Printed on 07 Oct 2025

GHS: According to 2015/830/EU

Code Number FM79353

Version 1 Revised 7/10/2025 4:41:45 PM

References and further information

N/A = Not applicable

SUSMP = Standard for the Uniform Scheduling of Medicines and Poisons

AIIC = Australian Inventory of Industrial Chemical
AICIS = Australian Industrial Chemicals Introduction Scheme

Version 1: GHS format, RB 07/10/2025